



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/810,903	03/29/2004	Yukihiro Kubo	1163-0502PUS1	1089

2292 7590 03/30/2009
BIRCH STEWART KOLASCH & BIRCH
PO BOX 747
FALLS CHURCH, VA 22040-0747

EXAMINER

SHARMA, SUJATHA R

ART UNIT	PAPER NUMBER
----------	--------------

2618

NOTIFICATION DATE	DELIVERY MODE
-------------------	---------------

03/30/2009

ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

mailroom@bskb.com

Office Action Summary	Application No. 10/810,903	Applicant(s) KUBO, YUKIHIRO	
	Examiner SUJATHA SHARMA	Art Unit 2618	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 23 February 2009.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1,3 and 6-8 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1,3 and 6-8 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

Response to Arguments

1. Applicant's arguments with respect to claims 1,3,6-8 have been considered but are moot in view of the new ground(s) of rejection.

Claim Rejections - 35 USC § 103

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

1. Claims 1,3 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kushita [US 6,570,689] and Numata [JP 2002-280950] in view of Lilja [US 5,991,640]

Regarding claim 1, Kushita discloses a method of operating of operating an automobile system using a portable telephone. Kushita further discloses a method comprising:

- a first terminal provided with a first wireless connection interface for performing short-distance wireless communications and a first control unit for starting said first wireless connection interface; see col. 2, lines 43-51 where the first terminal is a portable terminal with a first short range communication module wherein the first terminal provided with the said short-range communication module automatically checks for a signal that the first terminal provided with the said short-range communication module is connected to the holder (see col. 9, lines 18,19)

Art Unit: 2618

- a second terminal provided with a second wireless connection interface for performing short-distance wireless communications and a second control unit for starting said second wireless connection interface; see col. 2, lines 52-67 where the second terminal is represented by the automobile system with infra red communication module with an infra red processing section

wherein

- said second terminal includes a holder having a detector for detecting whether or not said first terminal is set to said holder, and for outputting a set signal when detecting that said first terminal is set to said holder, see col. 4, lines 18-37 where the holder or cradle 205 of the automobile system 200 holds the portable telephone and has a detection method to detect the presence of the portable phone in the holder or cradle and a control signal is set between the portable phone and the automobile system
- said second control unit of said second terminal starts said second wireless connection interface in response to the set signal sent thereto from said detector, and establishes a wireless connection between said first terminal and said second terminal; see col. 8, lines 32- col. 9, line 27. Here the when the portable phone is in the cradle, a control signal is set which is indicated to the automobile system which then communicates with the portable phone to set the phone to the drive mode i.e. to disable the phone for speech communication. See also col. 1, lines 5-45

However, Kushita fails to disclose a method where the short range communication unit to be a blue tooth module and further start the communication between the bluetooth modules upon detection.

Art Unit: 2618

Numata, in the same field of endeavor, discloses a method of communication between a mobile unit and other nearby devices using Bluetooth technology. See abstract. Further Numata teaches a method where the Bluetooth modules start communicating automatically when the phone is placed on the holder. See paragraphs 22,24 and 25.

Therefore it would have been obvious to one with ordinary skill in the art at the time the invention was made to provide the above teachings of Numata to Kushita in order to have a more flexible way of providing short-range communications overcome the disadvantage of using infrared communications, which requires line-of-sight communications and further eliminate user intervention with the automatic communication of the short-range/Bluetooth modules when it is detected that the phone is placed in the holder.

However, Kushita and Numata do not disclose a method wherein said holder includes a charge interface for supplying a charging current to said first terminal when said first terminal is set to said holder, said first terminal includes a charge detector for detecting whether or not the charging current is supplied thereto from said holder, and said first control unit of said first terminal starts said first wireless connection interface when said charge detector detects that the charging current is supplied to said first terminal so as to establish a wireless connection between said first terminal and said second terminal.

Lilja, in the same field of endeavor, teaches a method wherein when the phone is placed in the holder or cradle the phone interface 22 detects the presence of the phone in the holder (see col. 3, lines 16-19) , then the charging circuitry regulates and charges the mobile phone placed in the holder and thus powers the mobile unit to allow for the communication with the master electronic system of the automobile.

Art Unit: 2618

Therefore it would have been obvious to one with ordinary skill in the art at the time the invention was made to provide the above teaching of Lilja to modified Kushita in order for the proper operation of the phone while docked in the cradle.

Regarding claim 3, Kushita further discloses a method wherein said second control unit of said second terminal sends a start signal to said first control unit of said first terminal in response to the set signal sent thereto from said detector, and said first control unit of said first terminal starts said first wireless connection interface in response to the start signal sent thereto from said second terminal, and establishes a wireless connection between said first terminal and said second terminal. See col. 1, lines 5-45, col. 2, lines 42-67, col. 4, lines 18-37, see col. 8, lines 32-col. 9, line 27

2. Claim 7 is rejected under 35 U.S.C. 103(a) as being unpatentable over Kushita [US 6,570,689] and Numata [JP 2002-280950] in view of Lilja [US 5,991,640] and further in view of Haruki [JP 2002-290606].

Regarding claim 7, Kushita as treated in claim 1 discloses all the limitations. However he does not disclose a method of presenting to the user a list of registered devices connectable with Bluetooth method on a display.

Haruki teaches a method of presenting to the user a list of registered devices connectable with Bluetooth method on a display. See abstract

Therefore it would have been obvious to one with ordinary skill in the art at the time the invention was made to provide the above teaching of Haruki to modified Kushita so that the user

Art Unit: 2618

can intuitively select a device that the user wants to connect so that the convenience of the user can be improved significantly.

3. Claim 6 is rejected under 35 U.S.C. 103(a) as being unpatentable over Kushita [US 6,570,689] in view of Numata [JP 2002-280950].

Regarding claim 6, Kushita discloses a system comprising:

- a first terminal provided with a first wireless connection interface for performing short-distance wireless communications and a first control unit for starting said first wireless connection interface; see col. 2, lines 43-51 where the first terminal is a portable terminal with a first short range communication module wherein the first terminal provided with the said short-range communication module automatically checks for a signal that the first terminal provided with the said short-range communication module is connected to the holder (see col. 9, lines 18,19)
- a second terminal provided with a second wireless connection interface for performing short-distance wireless communications and a second control unit for starting said second wireless connection interface; see col. 2, lines 52-67 where the second terminal is represented by the automobile system with infra red communication module with an infra red processing section
- wherein said second terminal includes a holder having a detector for detecting whether or not said first terminal is set to said holder, and for outputting a set signal when detecting that said first terminal is set to said holder, and said second control unit of said second terminal starts said second wireless interface module in response to the set signal

Art Unit: 2618

sent thereto from said detector, and establishes a wireless connection between said first terminal and said second terminal; see col. 4, lines 18-37 where the holder or cradle 205 of the automobile system 200 holds the portable telephone and has a detection method to detect the presence of the portable phone in the holder or cradle and a control signal is set between the portable phone and the automobile system

- wherein said second control unit of said second terminal sends a start signal to said first control unit of said first terminal in response to the set signal sent thereto from said detector, and said first control unit of said first terminal starts said first wireless interface module in response to the start signal sent thereto from said second terminal, and establishes a wireless connection between said first terminal and said second terminal. ; see col. 8, lines 32- col. 9, line 27. Here the when the portable phone is in the cradle, a control signal is set which is indicated to the automobile system which then communicates with the portable phone to set the phone to the drive mode i.e. to disable the phone for speech communication. See also col. 1, lines 5-45

However, Kushita fails to disclose a method where the short range communication unit to be a blue tooth module and further start the communication between the bluetooth modules upon detection.

Numata, in the same field of endeavor, discloses a method of communication between a mobile unit and other nearby devices using Bluetooth technology. See abstract. Further Numata teaches a method where the Bluetooth modules start communicating automatically when the phone is placed on the holder. See paragraphs 22,24 and 25.

Therefore it would have been obvious to one with ordinary skill in the art at the time the

Art Unit: 2618

invention was made to provide the above teachings of Numata to Kushita in order to have a more flexible way of providing short-range communications overcome the disadvantage of using infrared communications, which requires line-of-sight communications and further eliminate user intervention with the automatic communication of the short-range/Bluetooth modules when it is detected that the phone is placed in the holder.

4. Claim 8 is rejected under 35 U.S.C. 103(a) as being unpatentable over Kushita [US 6,570,689] and Numata [JP 2002-280950] in view of Haruki [JP 2002-290606].

Regarding claim 8, Kushita as treated in claim 1 discloses all the limitations. However he does not disclose a method of presenting to the user a list of registered devices connectable with Bluetooth method on a display.

Haruki teaches a method of presenting to the user a list of registered devices connectable with Bluetooth method on a display. See abstract

Therefore it would have been obvious to one with ordinary skill in the art at the time the invention was made to provide the above teaching of Haruki to modified Kushita so that the user can intuitively select a device that the user wants to connect so that the convenience of the user can be improved significantly.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Sujatha Sharma whose telephone number is 571-272-7886. The examiner can normally be reached on Mon-Fri 7.30am - 4.00pm.

Art Unit: 2618

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Matthew D. Anderson can be reached on 571-272-4177. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Sujatha Sharma/
Primary Examiner, Art Unit 2618
Sujatha Sharma
March 24, 2009